```
=> d his full
```

L1

L3

L5

L7

L8

L9

```
(FILE 'HOME' ENTERED AT 11:27:03 ON 31 OCT 2006)
```

```
FILE 'HCAPLUS' ENTERED AT 11:27:29 ON 31 OCT 2006
E US20060052509/PN
1 SEA ABB=ON PLU=ON US2006052509/PN
```

SEL RN

FILE 'REGISTRY' ENTERED AT 11:27:49 ON 31 OCT 2006

10 SEA ABB=ON PLU=ON (105009-55-0/BI OR 167860-86-8/BI OR 220310-61-2/BI OR 220310-62-3/BI OR 25233-30-1/BI OR 2530-83-8/BI OR 491828-15-0/BI OR 686348-87-8/BI OR 7440-44-0/BI OR 7631-86-9/BI)

FILE 'HCAPLUS' ENTERED AT 11:27:56 ON 31 OCT 2006 1 SEA ABB=ON PLU=ON L1 AND L2

FILE 'REGISTRY' ENTERED AT 11:34:26 ON 31 OCT 2006
SCR 2043
STRUCTURE
3 SEA SSS SAM L7 AND L5

3 SEA SSS SAM L7 AND L5 55 SEA SSS FUL L7 AND L5 SAV L9 NGU685/A

FILE 'HCAPLUS' ENTERED AT 14:09:05 ON 31 OCT 2006 107 SEA ABB=ON PLU=ON L9 L10 29 SEA ABB=ON PLU=ON L10 (L) COAT? 21 SEA ABB=ON PLU=ON L10 (L) COAT? (L) CONDUCT? L11 45 SEA ABB=ON PLU=ON L10 (L) CONDUCT? (L) (COMPOUND# OR L12 COMPN# OR COMPD# OR POLYMER#) 3 SEA ABB=ON PLU=ON L13 AND (NANOTUBE# OR MWNT# OR SWNT# L14 OR BUCKEYBALL#) 50 SEA ABB=ON PLU=ON L12 OR L13 OR L14 L15 AND (1840-2003)/PRY, PY, AY L15 45 SEA ABB=ON PLU=ON 19 SEA ABBEON PLUEON L16 AND COATING?/SC,SX L16 L17 26 SEA ABB=ON PLU=ON L16 NOT L17 L18 1 SEA ABB=ON PLU=ON L17 AND 2004:392530/AN L19

=> file reg FILE 'REGISTRY' ENTERED AT 14:49:26 ON 31 OCT 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

```
=> d 117 que stat
L5 SCR 2043
L7 STR

MeO 10 9
6 C 7
5 C C N
8
4 C 3 C 2
5 SO3H 11
```

NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

```
GRAPH ATTRIBUTES:
```

RSPEC I

NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE

L9`	55 SEA FILE=REGISTRY SSS FUL L7 AND L5
L10	107 SEA FILE=HCAPLUS ABB=ON PLU=ON L9
L12	21 SEA FILE=HCAPLUS ABB=ON PLU=ON L10 (L) COAT? (L) CONDUCT?
L13	45 SEA FILE=HCAPLUS ABB=ON PLU=ON L10 (L) CONDUCT? (L)
	(COMPOUND# OR COMPN# OR COMPD# OR POLYMER#)
L14	3 SEA FILE=HCAPLUS ABB=ON PLU=ON L13 AND (NANOTUBE# OR
	MWNT# OR SWNT# OR BUCKEYBALL#)
L15	50 SEA FILE=HCAPLUS ABB=ON PLU=ON L12 OR L13 OR L14
L16	45 SEA FILE=HCAPLUS ABB=ON PLU=ON L15 AND (1840-2003)/PRY,
	PY, AY

19 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 AND COATING?/SC,SX => file hcaplus FILE 'HCAPLUS' ENTERED AT 14:49:34 ON 31 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

## => d l17 1-19 ibib abs hitstr hitind

L17 ANSWER 1 OF 19 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER:

2005:278524 HCAPLUS

DOCUMENT NUMBER:

142:327318

TITLE:

L17

Water-soluble conductive polymer compositions

and method for forming water-resistant

conductors with excellent transparency and

scratch resistance from them Maeda, Shinichi; Usawa, Masashi

SOURCE:

PATENT ASSIGNEE(S): Mitsubishi Rayon Co., Ltd., Japan Jpn. Kokai Tokkyo Koho, 20 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

INVENTOR (S):

Patent Japanese

LANGUAGE: FAMILY ACC. NUM. COUNT:


PATE

ENT	INFORMATION:	

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2005082768	A2	20050331	JP 2003-318923	
				200309 10
DD TOD TOTAL A DOLLAR			<	
PRIORITY APPLN. INFO.:			JP 2003-318923	
				200309

OTHER SOURCE(S): MARPAT 142:327318

The method contains coating substrates with the compns. contg. the polymers (A) bearing sulfonic acid groups and/or carboxyl groups, solvents (B),  $\geq 1$  silane compds. (C) selected from alkoxysilanes R1R2R3SiY (Y = C1-6 linear or branched alkoxy; R1-3 = H, C1-20 linear or branched alkyl or alkoxy, amino, acetyl, Ph, halo), halogenated silanes, and silazanes, and colloidal silica (D, optional) and leaving them at room temp. or heating them at



NODE ATTRIBUTES: DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RSPEC I NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE 55 SEA FILE=REGISTRY SSS FUL L7 AND L5 107 SEA FILE=HCAPLUS ABB=ON PLU=ON L9 L9 21 SEA FILE=HCAPLUS ABB=ON PLU=ON L10 (L) COAT? (L) L10 L12 45 SEA FILE=HCAPLUS ABB=ON PLU=ON L10 (L) CONDUCT? (L) (COMPOUND# OR COMPN# OR COMPD# OR POLYMER#) L13 3 SEA FILE=HCAPLUS ABB=ON PLU=ON L13 AND (NANOTUBE# OR L14 MWNT# OR SWNT# OR BUCKEYBALL#) 50 SEA FILE=HCAPLUS ABB=ON PLU=ON L12 OR L13 OR L14 45 SEA FILE=HCAPLUS ABB=ON PLU=ON L15 AND (1840-2003)/PRY, L15 L16 19 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 AND COATING?/SC,SX 26 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 NOT L17 L17 L18

=> file hcaplus FILE 'HCAPLUS' ENTERED AT 14:50:10 ON 31 OCT 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

## => d l18 1-26 ibib abs hitstr hitind

L18 ANSWER 1 OF 26 HCAPLUS COPYRIGHT 2006 ACS on STN

2005:276010 HCAPLUS ACCESSION NUMBER:

142:327758 DOCUMENT NUMBER:

Manufacture of solid electrolytic capacitors TITLE:

Maeda, Shinichi; Usawa, Masashi INVENTOR(S): Mitsubishi Rayon Co., Ltd., Japan PATENT ASSIGNEE(S): Jpn. Kokai Tokkyo Koho, 16 pp.

SOURCE: CODEN: JKXXAF

Patent DOCUMENT TYPE: Japanese LANGUAGE:

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2005085891	A2	20050331	JP 2003-314441	200309 05 .